



WIRE ROPE AND CHAIN ACCESSORIES

**GRADE 80,  
ALLOY STEEL  
AND HIGH STRENGTH**



# Grade 80



## CONNECTING LINK

W.L.L available from  
1.120 kg up to 8.000 kg

All the products in the UNIQ Grade 80 range have a very high resistance to wear and tear and in consequence are much more durable than equivalents manufactured in standard steel. The Grade 80 range is manufactured in high strength low alloy steel making it extremely strong. The increased tensile strength and resistance to traction make Grade 80 the ideal choice for safety critical operations.



## EYE SELF-LOCKING HOOK

W.L.L available from  
1.120 kg up to 8.000 kg



## CLEVIS SELF-LOCKING HOOK

W.L.L available from  
1.120 kg up to 8.000 kg



## SWIVEL SELF-LOCKING HOOK

W.L.L available from  
1.120 kg up to 8.000 kg



## OBLONG MASTER LINK

W.L.L available from  
1.600 kg up to 8.000 kg



## MASTER LINK ASSEMBLY

W.L.L available from  
2.360 kg up to 11.200 kg

# Lifting hooks



## DIN 689

W.L.L available from  
250 kg up to 500 kg

Material: C15 steel  
Finish: Spring and safety  
latch zinc-plated



## DIN 689 CARBON STEEL

W.L.L available from  
750 kg up to 2.000 kg

Material: C45 carbon steel  
Finish: Spring and safety  
latch zinc-plated



## DIN 689 ALLOY STEEL

W.L.L available from  
3.000 kg up to 7.000 kg

Material: Alloy steel  
Finish: Spring and safety  
latch zinc-plated



## SWIVEL HOOK WITH SAFETY LATCH

W.L.L available from  
1.000 kg up to 6.300 kg

Material: Alloy steel  
Finish: Spring and safety  
latch zinc-plated

# HEAVY-DUTY SHACKLES



## D-SHACKLE

Available from  
5 mm up to 45 mm  
W.L.L up to 25.000 kg

Material: High resistance  
steel, C45 steel body and  
alloy steel pin  
Finish: Galvanized body



## D-SHACKLE WITH NUT AND COTTER PIN

Available from  
5 mm up to 19 mm  
W.L.L up to 4.750 kg

Material: High resistance  
steel, C45 steel body and  
alloy steel pin  
Finish: Galvanized body



## BOW-SHACKLE

Available from  
5 mm up to 22 mm  
W.L.L up to 6.500 kg

Material: High resistance  
steel, C45 steel body and  
alloy steel pin  
Finish: Galvanized body



## BOW-SHACKLE WITH NUT AND COTTER PIN

Available from  
5 mm up to 19 mm  
W.L.L up to 4.750 kg

Material: High resistance  
steel, C45 steel body and  
alloy steel pin  
Finish: Galvanized body

These products are not PPE (Personal Protection Equipment)



[www.damesa.com](http://www.damesa.com)

