




Galvanized steel strand 1 x 7 is a mechanical element manufactured to maintain a balance between hardness, strength, abrasion, crushing, fatigue and corrosion. The technology used to manufacture steel wire rope is in constant development. Its main characteristics are the wires that make it up, the way they are arranged, how the strands are formed and how they are wound around the core. Thanks to their resistance, strength, durability, thickness and flexibility, steel wire ropes are used in countless applications and locations. UNIQ steel wire rope combines reliability, safety and high performance.

**FINISH:** Galvanized  
**USES:** Static cable, Catenaries,  
 Agriculture, Livestock

Certification UNE-EN 12385-1.




## Presentation: Reel

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1570 N/mm <sup>2</sup>	Weight kg/100 m	Format of presentation	Reel dimensions	
						Ø Inside mm	Ø Outside mm
1	09210016	15	0,85	0,50	Plastic reel	48	120
1	09210027	25	0,85	0,50	Plastic reel	48	114
1	09210038	50	0,85	0,50	Plastic reel	48	114
1	09210049	100	0,85	0,50	Plastic reel	48	114
1,5	09210111	15	1,91	1,14	Plastic reel	48	114
1,5	09210122	25	1,91	1,14	Plastic reel	48	114
1,5	09210133	50	1,91	1,14	Plastic reel	48	114
1,5	09210144	100	1,91	1,14	Plastic reel	48	114
2	09210216	15	3,39	2,02	Plastic reel	48	114
2	09210227	25	3,39	2,02	Plastic reel	48	114
2	09210238	50	3,39	2,02	Plastic reel	48	133
2	09210249	100	3,39	2,02	Plastic reel	48	133
2,5	09210311	15	5,20	3,17	Plastic reel	48	114
2,5	09210322	25	5,20	3,17	Plastic reel	48	114
2,5	09210333	50	5,20	3,17	Plastic reel	48	133
2,5	09210344	100	5,20	3,17	Plastic reel	50	200



## Presentation: Reel

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1570 N/mm <sup>2</sup>	Weight kg/100 m	Format of presentation	Reel dimensions	
						Ø Inside mm	Ø Outside mm
3	09210416	15	7,49	4,55	Plastic reel	48	114
3	09210427	25	7,49	4,55	Plastic reel	48	133
3	09210438	50	7,49	4,55	Plastic reel	48	133
3	09210449	100	7,49	4,55	Plastic reel	27	200
3,5	09210511	15	10,20	6,20	Plastic reel	50	200
3,5	09210522	25	10,20	6,20	Plastic reel	50	200
3,5	09210533	50	10,20	6,20	Plastic reel	50	200
3,5	09210544	100	10,20	6,20	Plastic reel	50	200
4	09210616	15	13,30	8,13	Plastic reel	50	200
4	09210627	25	13,30	8,13	Plastic reel	50	200
4	09210638	50	13,30	8,13	Plastic reel	50	200
4	09210649	100	13,30	8,13	Plastic reel	50	200
5	09210711	15	20,80	12,60	Plastic reel	50	200
5	09210722	25	20,80	12,60	Plastic reel	50	200
5	09210733	50	20,80	12,60	Plastic reel	50	200
5	09210744	100	20,80	12,60	Wooden reel	55	250
6	09210816	15	30,00	18,20	Plastic reel	50	200
6	09210827	25	30,00	18,20	Plastic reel	50	200
6	09210838	50	30,00	18,20	Plastic reel	50	200
6	09210849	100	30,00	18,20	Wooden reel	48	250
7	09210911	15	40,80	24,80	Plastic reel	50	200
7	09210922	25	40,80	24,80	Plastic reel	50	200
7	09210933	50	40,80	24,80	Wooden reel	48	250
8	09211016	15	53,30	32,40	Plastic reel	50	200
8	09211027	25	53,30	32,40	Plastic reel	50	200
8	09211038	50	53,30	32,40	Wooden reel	48	250
9	09211111	15	67,40	40,93	Plastic reel	50	200
9	09211122	25	67,40	40,93	Wooden reel	48	250
9	09211133	50	67,40	40,93	Wooden reel	48	250



## Presentation: Shrink-wrapped

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1570 N/mm <sup>2</sup>	Weight kg/100 m	Format of presentation
1	09210017	15	0,85	0,50	Shrink-wrapped
2	09210217	15	3,39	2,02	Shrink-wrapped
3	09210417	15	7,49	4,55	Shrink-wrapped
4	09210617	15	12,30	8,13	Shrink-wrapped
5	09210712	15	8,80	12,60	Shrink-wrapped
6	09210817	15	30,00	18,20	Shrink-wrapped
8	09211017	15	53,30	32,40	Shrink-wrapped