




Galvanized steel wire rope - 7 x 7 + 0



Galvanized steel wire rope 7 x 7 + 0 (6 x 7 WSC) is a mechanical element manufactured to maintain a balance between hardness, strength, abrasion, crushing, fatigue and corrosion. The technology used to manufacture steel wire rope is in constant development . Its main characteristics are the wires that make it up, the way they are arranged, how the strands are formed and how they are wound around the core. Thanks to their resistance, strength, durability, thickness and flexibility, steel wire ropes are used in countless applications and locations. UNIQ steel wire rope combines reliability, safety and high performance.




Certification UNE-EN 12385-4.

- CORE:** Metallic
- LAY:** Regular lay
- FINISH:** Galvanized
- USES:** Static cable, Agriculture, Livestock

Presentation: Reel

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1770 N/mm ²	Weight kg/100 m	Format of presentation	Reel dimensions	
						Ø Inside mm	Ø Outside mm
2	09204016	15	2,75	1,60	Plastic reel	48	114
2	09204027	25	2,75	1,60	Plastic reel	48	114
2	09204038	50	2,75	1,60	Plastic reel	48	114
2	09204049	100	2,75	1,60	Plastic reel	48	133
2	09204055	1000	2,75	1,60	Wooden reel	40	250
3	09204111	15	6,18	3,53	Plastic reel	48	114
3	09204122	25	6,18	3,53	Plastic reel	48	114
3	09204133	50	6,18	3,53	Plastic reel	48	133
3	09204144	100	6,18	3,53	Plastic reel	50	200
3	09204155	1000	6,18	3,53	Wooden reel	40	300
4	09204216	15	11,00	6,33	Plastic reel	50	200
4	09204227	25	11,00	6,33	Plastic reel	50	200
4	09204238	50	11,00	6,33	Plastic reel	50	200
4	09204249	100	11,00	6,33	Plastic reel	50	200
4	09204252	200	11,00	6,33	Wooden reel	48	250
4	09204255	1000	11,00	6,33	Wooden reel	45	350




Galvanized steel wire rope - 7 x 7 + 0



Presentation: Reel

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1770 N/mm ²	Weight kg/100 m	Format of presentation	Reel dimensions	
						Ø Inside mm	Ø Outside mm
5	09204311	15	17,20	9,87	Plastic reel	50	200
5	09204322	25	17,20	9,87	Plastic reel	50	200
5	09204333	50	17,20	9,87	Plastic reel	50	200
5	09204344	100	17,20	9,87	Plastic reel	50	200
5	09204352	200	17,20	9,87	Wooden reel	48	250
5	09204355	1000	17,20	9,87	Wooden reel	45	400
6	09204416	15	24,70	14,20	Plastic reel	50	200
6	09204427	25	24,70	14,20	Plastic reel	50	200
6	09204438	50	24,70	14,20	Plastic reel	50	200
6	09204449	100	24,70	14,20	Plastic reel	55	200
6	09204452	200	24,70	14,20	Wooden reel	55	300
6	09204455	1000	24,70	14,20	Wooden reel	45	450
7	09204511	15	33,70	19,33	Plastic reel	50	200
7	09204522	25	33,70	19,33	Plastic reel	50	200
7	09204533	50	33,70	19,33	Plastic reel	50	200
7	09204544	100	33,70	19,33	Plastic reel	50	200
8	09204616	15	44,00	25,20	Plastic reel	50	200
8	09204627	25	44,00	25,20	Plastic reel	50	200
8	09204638	50	44,00	25,20	Wooden reel	48	250
8	09204649	100	44,00	25,20	Wooden reel	48	250

Galvanized steel wire rope - 7 x 7 + 0



Presentation: Shrink-wrapped

Measure Ø Nominal	Part Number	Length m	Minimum Breaking Load 1770 N/mm ²	Weight kg/100 m	Format of presentation
2	09204017	15	2,75	1,60	Shrink-wrapped
3	09204112	15	6,18	3,53	Shrink-wrapped
4	09204217	15	11,00	6,33	Shrink-wrapped
5	09204312	15	17,20	9,87	Shrink-wrapped
6	09204417	15	24,70	14,20	Shrink-wrapped
8	09204617	15	44,00	25,50	Shrink-wrapped