



This type of chain is most commonly used for general purpose applications. There is a direct relationship between the diameter of the wire, the pitch of the link and the width of the link, making its mechanical characteristics suitable for general purpose applications.

The zinc-plated surface treatment increases corrosion resistance and also gives it a very good finish. It is used in sectors such as industry, agriculture, livestock and for general use.

**MATERIAL:** Q235 Grade 30 steel  
**FINISH:** Zinc-plated

### Packing: box with window

Part Number	Nominal dimension	Ød mm	t mm	b mm	Workload N	Test load N	Breaking load N	Weight kg / metre	Packing metre / box
09300001	2,0	2,0	15,0	10,0	250	500	1.250	0,07	180
09300004	2,5	2,5	15,0	11,5	375	750	2.000	0,10	112
09300007	3,0	3,0	18,0	11,5	560	1.120	2.800	0,15	80
09300010	4,0	4,0	21,0	15,0	1.000	2.000	5.000	0,29	44
09300013	2,0	2,0	15,0	10,0	250	500	1.250	0,07	360
09300016	2,5	2,5	15,0	11,5	375	750	2.000	0,10	225
09300019	3,0	3,0	18,0	11,0	560	1.120	2.800	0,15	160
09300022	4,0	4,0	21,0	15,0	1.000	2.000	5.000	0,29	88
09300025	5,0	5,0	26,0	19,0	1.575	3.150	7.750	0,45	55
09300028	6,0	6,0	27,5	23,0	2.250	4.500	11.500	0,68	37
09300031	7,0	7,0	31,0	26,0	3.000	6.000	15.000	0,92	27
09300034	8,0	8,0	36,0	31,0	4.000	8.000	20.000	1,25	20
09300037	9,0	9,0	36,5	33,5	5.000	10.000	25.000	1,55	16
09300040	10,0	10,0	42,0	36,0	6.250	12.500	31.000	1,95	13
09300043	12,0	12,0	43,0	40,0	9.000	18.000	45.000	2,80	8
09300046	14,0	14,0	48,0	49,0	18.400	36.800	92.000	4,05	6
09300049	16,0	16,0	56,0	54,0	24.000	48.000	120.000	5,29	5



### Packing: reel

Part Number	Nominal dimension	Ød mm	t mm	b mm	Workload N	Test load N	Breaking load N	Weight kg / metre	Packing metre / box
09300133	2,00	2,00	15,0	10,0	250	500	1.250	0,07	300
09300136	2,50	2,50	15,0	11,5	375	750	2.000	0,11	200
09300139	3,00	3,00	18,0	11,0	560	1.120	2.800	0,15	150
09300142	4,00	4,00	21,0	15,0	1.000	2.000	5.000	0,28	80
09300145	5,00	5,00	26,0	19,0	1.575	3.150	7.750	0,45	50
09300148	6,00	6,00	27,5	23,0	2.250	4.500	11.500	0,67	30
09300151	7,00	7,00	31,0	26,0	3.000	6.000	15.000	0,93	20
09300154	8,00	8,00	36,0	31,0	4.000	8.000	20.000	1,25	15
09300157	9,00	9,00	36,5	33,5	5.000	10.000	25.000	1,55	13
09300160	10,00	10,00	42,0	36,0	6.250	12.500	31.000	1,95	10
09300163	12,00	12,00	43,0	40,0	9.000	18.000	45.000	2,8	7
09300166	14,00	14,00	48,0	49,0	18.400	36.800	92.000	4,06	5
09300169	16,00	16,00	56,0	54,0	24.000	48.000	120.000	5,28	4