

# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

## CHEFIX EPO-TECH 300 - 400 ml **COMP A**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Name CHEFIX EPO-TECH 300 SF COMP A UFI 39CN-0TRV-2G0N-43JH Type of product A Chemical anchoring application Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use Use of the substance/mixture : A Chemical anchoring application Function or use category : Building and construction work 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet DIFUSORA DE ARTICULOS MECANICOS ESPECIALES S.A. POL. IND. PLA DE LA BRUGUERA , CALLE GARRAF 10-12 08211 CASTELLAR DEL VALLES BARCELONA ESPAÑA T +34 937299610 - F +34 937299610 damesa@damesa.com - www.damesa.com 1.4. Emergency telephone number : +34 93 7299610 Lu-Vi 9:00 - 17:00 Emergency number Country **Organisation/Company Address Emergency number** Comment 0344 892 0111 United Kingdom National Poisons Information Service Dudley Road Only for healthcare B18 7QH (Birmingham Centre) professionals City Hospital **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] H319 Serious eye damage/eye irritation, Category 2 Skin sensitisation, Category 1 H317 Full text of H- and EUH-statements: see section 16 Adverse physicochemical, human health and environmental effects May cause an allergic skin reaction. Causes serious eye irritation. 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 : Warning

Signal word (CLP)



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

Contains	: 2,2'-ETHYLENEDIOXYDIETHYL DIMETHACRYLATE; METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL; REACTION MASS OF 2,2'-[(4- METHYLPHENYL)IMINO]BISETHANOL AND ETHANOL 2-[[2-(2- HYDROXYETHOXY)ETHYL](4-METHYLPHENYL)AMINO]-
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 - Wear protective clothing, eye protection, face protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### Component

REACTION MASS OF 2,2'-[(4-	The mixture does not contain substance(s) included in the list established in accordance
METHYLPHENYL)IMINO]BISETHANOL AND	with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified
ETHANOL 2-[[2-(2-HYDROXYETHOXY)ETHYL](4-	as having endocrine disrupting properties in accordance with the criteria set out in
METHYLPHENYL)AMINO]-(N/A)	Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)
	2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
VINYL TOLUENE.	CAS-No.: 25013-15-4 EC-No.: 246-562-2 REACH-no: 01-2119622074- 50	<10	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
2,2'-ETHYLENEDIOXYDIETHYL DIMETHACRYLATE	CAS-No.: 109-16-0 EC-No.: 203-652-6 REACH-no: 01-2119969287- 21	3 – 10	Skin Sens. 1, H317
METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL	CAS-No.: 27813-02-1 EC-No.: 248-666-3 REACH-no: 01-2119490226- 37	3 – 10	Eye Irrit. 2, H319 Skin Sens. 1, H317
1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL	CAS-No.: 38668-48-3 EC-No.: 254-075-1 REACH-no: 01-2119980937- 17	< 1	Acute Tox. 2 (Oral), H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
REACTION MASS OF 2,2'-[(4- METHYLPHENYL)IMINO]BISETHANOL AND ETHANOL 2-[[2-(2-HYDROXYETHOXY)ETHYL](4- METHYLPHENYL)AMINO]-	CAS-No.: N/A EC-No.: 911-490-9 REACH-no: 01-2119979579- 10	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
P-BENZOQUINONE	CAS-No.: 106-51-4 EC-No.: 203-405-2 EC Index-No.: 606-013-00-3 REACH-no: 01-2120769514- 47	< 1	Flam. Sol. 1, H228 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy take to be obtained for the plant of the plan</li></ul>
First-aid measures after ingestion 4.2. Most important symptoms and effe	<ul> <li>to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause an allergic skin reaction. : Eye irritation.
4.3. Indication of any immediate medic	al attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml

COMP A

6.1. Personal precautions, protective equip	oment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up Dther information	<ul> <li>Mechanically recover the product.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	
Building and construction work.	
SECTION 8: Exposure controls/person	nal protection
8.1. Control parameters	
3.1.1 National occupational exposure and biolog No additional information available	gical limit values
•••	
No additional information available	
8.1.2. Recommended monitoring procedures         No additional information available         8.1.3. Air contaminants formed         No additional information available         8.1.4. DNEL and PNEC	
No additional information available 3.1.3. Air contaminants formed No additional information available	



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

## CHEFIX EPO-TECH 300 - 400 ml COMP A

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR), Butyl rubber, Viton® II	6 (> 480 minutes)	0.4	As the product is a preperation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN141

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state Colour Appearance Odour Odour threshold Melting point

Beige. Paste.

- : Characteristic odour.
- : Not available

: Solid

: Not available



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

## CHEFIX EPO-TECH 300 - 400 ml COMP A

Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
рН	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: > 100000 cP Brookfield HB DV1 viscometer
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.68 – 1.69
Relative vapour density at 20°C	: 0.6 hPa
Particle size	: Not available

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content Additional information

: 180 g/l

: Solid suspension - classified as non-flammable according to results from Test N.1 test method for readily combustible solids.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal)

: Not classified

: Not classified

24/02/2023 (Issue date) 24/02/2023 (Printing date) 6/13



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml

COMP A

-16-0)		
10837 mg/kg Source: NLM,THOMSON		
-DIOL (27813-02-1)		
g bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral		
kg		
kg bodyweight Animal: rabbit, Animal sex: male		
w/day		
> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:, Guideline: other:		
.D50 oral rat 197 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)		
SETHANOL AND ETHANOL 2-[[2-(2- · (N/A)		
619 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)), Remarks on results: other:, 95% CL: 305 - 1256		
> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:		
Ŀ		
bus eye irritation.		
n allergic skin rea <mark>ction.</mark>		
L Contraction of the second		
1		
sifiable		
sifiable		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

P-BENZOQUINONE (106-51-4)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
2,2'-ETHYLENEDIOXYDIETHYL DIMETHACRY	′LATE (109-16-0)	
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:	
METHACRYLIC ACID, MONOESTER WITH PR	OPANE-1,2-DIOL (27813-02-1)	
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:	
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:	
VINYL TOLUENE. (25013-15-4)		
NOAEC (inhalation, rat, gas, 90 days)	60 ppm Animal: rat, Remarks on results: other:	
Aspiration hazard :	Not classified	
CHEFIX EPO-TECH 300 SF COMP A		
Viscosity, kinematic	Not applicable	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information		
12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified	
2,2'-ETHYLENEDIOXYDIETHYL DIMETHACRYLATE (109-16-0)		
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL (27813-02-1)		
LC50 - Fish [1]	233.174 mg/l Source: ECOSAR	
EC50 - Crustacea [1]	> 143 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	> 130 mg/l	
EC50 72h - Algae [1]	> 97.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

	OPANE-1,2-DIOL (27813-02-1)		
NOEC (chronic)	45.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic crustacea	45.2 mg/l		
1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-	48-3)		
LC50 - Fish [1]	17 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	28.8 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	245 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
P-BENZOQUINONE (106-51-4)			
LC50 - Fish [1]	0.045 mg/l Source: Toxic Substances Information Summary		
EC50 - Crustacea [1]	0.13 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	1.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
VINYL TOLUENE. (25013-15-4)			
LC50 - Fish [1]	5.2 mg/l Test organisms (species): Pimephales promelas		
EC50 - Crustacea [1]	1.3 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	4.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
ErC50 algae	2.6 mg/l Source: ECHA		
NOEC chronic fish	2.6 mg/l		
REACTION MASS OF 2,2'-[(4-METHYLPHENY HYDROXYETHOXY)ETHYL](4-METHYLPHENY	L)IMINO]BISETHANOL AND ETHANOL 2-[[2-(2- (L)AMINO]- (N/A)		
LC50 - Fish [1]	100 mg/l		
EC50 - Crustacea [1]	48 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	100 mg/l		
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		

No additional information available

12.3. Bioaccumulative potential			
2,2'-ETHYLENEDIOXYDIETHYL DIMETHACRYLATE (109-16-0)			
Partition coefficient n-octanol/water (Log Pow)	1.88 Source: ChemIDplus		
METHACRYLIC ACID, MONOESTER WITH PR	OPANE-1,2-DIOL (27813-02-1)		
Partition coefficient n-octanol/water (Log Pow)	0.48		
1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (38668-48-3)			
Partition coefficient n-octanol/water (Log Pow)	2.1 Source: ECHA		
P-BENZOQUINONE (106-51-4)			
Partition coefficient n-octanol/water (Log Pow)	0.2 Source: HSDB		



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml

COMP A

VINYL TOLUENE. (25013-15-4)				
Partition coefficient n-octanol/water (Log Pow)	3.35 So	urce: ECHA		
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				
No additional information available				
12.7. Other adverse effects				
No additional information available				
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				

## Waste treatment methods

European List of Waste (LoW) code

Dispose of contents/container in accordance with licensed collector's sorting instructions.
 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances

## SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID	
4.1. UN number or ID n	umber				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
4.2. UN proper shipping	g name		·		
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
4.3. Transport hazard c	lass(es)				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
4.4. Packing group	·		·		
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
4.5. Environmental haz	ards				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	

14.6. Special precautions for user

Overland transport Not regulated.

Transport by sea Not regulated.

Air transport Not regulated.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml

COMP A

Inland waterway transport Not regulated.

Rail transport Not regulated.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content

: 180 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Abbreviations and acronyms:				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

Abbreviations and acr	onyms:
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer :
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

## Full text of H- and EUH-statements

Full text of H- and EUH-statements:		
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	uatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP A

Full text of H- and EU	JH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 1	Flammable solids, Category 1	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H300	Fatal if swallowed.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

	ntifier				
Product form Name JFI Type of product Product group	:	K806-D	COMP B 15C-K00W-VC8M lical anchoring application roduct		
1.2. Relevant id	entified uses of the substance	or mix	ture and uses advised	against	
.2.1. Relevant ide	entified uses				
Main use category	:	Industria	al use,Professional use		
Jse of the substan	ce/mixture :		ical anchoring application		
Function or use ca	eaorv	Catalys	and construction work		
.2.2. Uses advise					
lo additional inform					
	ne supplier of the safety data s	hoot			
	TICULOS MECANICOS ESPECIALE				
POL. IND. PLA DE BARCELONA ESPAÑA	LA BRUGUERA , CALLE GARRAF F +34 937299610		3211 CASTELLAR DEL VAI	LLES	
	com - <u>www.damesa.com</u>				
1.4. Emergency	telephone number				
Emergency numbe	r :	+34 93	7299610 Lu-Vi 9:00 - 17:00		
Country	Organisation/Company		Address	Emergency number	er Comment
United Kingdom	National Poisons Information Servi (Birmingham Centre) City Hospital	се	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
	City Hospital				
SECTION 2: H	azards identification				
	azards identification				
2.1. Classificati	azards identification				
2.1. Classificati	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272				
2.1. Classificati Classification acc Serious eye damag	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 je/eye irritation, Category 2		CLP] H319 H317		
2.1. Classification acc Classification acc Serious eye damag Skin sensitisation, Hazardous to the a	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 Je/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard	2/2008 [(	H319 H317		
2.1. Classification Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and b	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 ge/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16	<b>2/2008 [(</b> d, Categ	H319 H317 ory 3 H412		
2.1. Classification acc Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and a Adverse physicod	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 pe/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro	2/2008 [r d, Categ onmenta	H319 H317 ory 3 H412	h lang lapting effects	
2.1. Classification acc Berious eye damag Skin sensitisation, dazardous to the a full text of H- and b adverse physicoo May cause an aller	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 (e/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro gic skin reaction. Causes serious eye	2/2008 [r d, Categ onmenta	H319 H317 ory 3 H412	h long lasting effects.	
2.1. Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and H Adverse physicoo May cause an aller 2.2. Label elem	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 ge/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro gic skin reaction. Causes serious eye ents	2/2008 [t d, Categ nmenta e irritatio	H319 H317 ory 3 H412	h long lasting effects.	
2.1. Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and I Adverse physicoo May cause an aller 2.2. Label element Labelling accordi	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 ge/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro gic skin reaction. Causes serious eye ents ing to Regulation (EC) No. 1272/200	2/2008 [t d, Categ nmenta e irritatio	H319 H317 ory 3 H412	h long lasting effects.	
2.1. Classification acc Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and I Adverse physicoo May cause an aller 2.2. Label elem	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 ge/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro gic skin reaction. Causes serious eye ents ing to Regulation (EC) No. 1272/200	2/2008 [t d, Categ nmenta e irritatio	H319 H317 ory 3 H412	h long lasting effects.	
2.1. Classification acc Serious eye damag Skin sensitisation, Hazardous to the a Full text of H- and I Adverse physicoo May cause an aller 2.2. Label element Labelling accordi	azards identification on of the substance or mixture ording to Regulation (EC) No. 1272 ge/eye irritation, Category 2 Category 1 quatic environment – Chronic Hazard EUH-statements: see section 16 chemical, human health and enviro gic skin reaction. Causes serious eye ents ing to Regulation (EC) No. 1272/200	2/2008 [t d, Categ nmenta e irritatio	H319 H317 ory 3 H412	h long lasting effects.	



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

## CHEFIX EPO-TECH 300 - 400 ml COMP B

	GHS07
Signal word (CLP)	: Warning
Contains	: DIBENZOYL PEROXIDE.
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective clothing, eye protection, face protection.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
DIBENZOYL PEROXIDE.	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472- 50	10 – 20	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
ETHYLENE GLYCOL. substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	3 – 10	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul><li>May cause an allergic skin reaction.</li><li>Eye irritation.</li></ul>
24/02/2023 (Issue date)	GB - en 2/11



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml

COMP B

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the su	bstance or mixture
Hazardous decomposition products in case of fin	e : Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up Dther information	Mechanically recover the product.     Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid
Hygiene measures	<ul> <li>breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
7.3. Specific end use(s)	
No additional information available	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	
8.1.1 National occupational exposure and biological	limit values
DIBENZOYL PEROXIDE. (94-36-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Dibenzoyl peroxide
WEL TWA (OEL TWA) [1]	5 mg/m³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
ETHYLENE GLYCOL. (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOEL TWA	52 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m <sup>3</sup>
IOEL STEL [ppm]	40 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m³ particulate 52 mg/m³ vapour
WEL TWA (OEL TWA) [2]	20 ppm vapour
WEL STEL (OEL STEL)	104 mg/m <sup>3</sup> vapour
WEL STEL (OEL STEL) [ppm]	40 ppm vapour
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

- 8.1.3. Air contaminants formed
- No additional information available

8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent)

#### Hand protection

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR), Butyl rubber, Viton® II	6 (> 480 minutes)	0.4	As the product is a preperation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	EN ISO 374

#### 8.2.2.3. Respiratory protection

Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation. EN141

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
SADT	: ≈ 50 °C
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.45 g/cm3
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available
9.2. Other information	
9.2.1. Information with regard to physical hazar	rd classes
No additional information available	
9.2.2. Other safety characteristics	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
The product is non-reactive under normal condition	ns of use, storage and transport.
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
Totol I coalding of hazardous reactions	
No dangerous reactions known under normal cond	litions of use.
10.4. Conditions to avoid	
None under recommended storage and handling c	conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological in	SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul><li>Not classified</li><li>Not classified</li><li>Not classified</li><li>Not classified</li></ul>		
DIBENZOYL PEROXIDE. (94-36-	0)		
LD50 oral rat	> 2000 mg/kg		

24/02/2023 (Issue date) 24/02/2023 (Printing date)



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

ETHYLENE GLYCOL. (107-21-1)	
LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 dermal	3500 mg/kg
Skin corrosion/irritation	: Not classified
ETHYLENE GLYCOL. (107-21-1)	
рН	6 – 7.5 Source: GESTIS
Serious eye damage/irritation	: Causes serious eye irritation.
ETHYLENE GLYCOL. (107-21-1)	
pН	6 – 7.5 Source: GESTIS
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
DIBENZOYL PEROXIDE. (94-36-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
ETHYLENE GLYCOL. (107-21-1)	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day
Aspiration hazard	: Not classified
11.2. Information on other hazards	

## **11.2. Information on other hazards**

No additional information available

## SECTION 12: Ecological information

## 12.1. Toxicity

in rowing		
Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
CHEFIX COMP B		
LC50 - Fish [1]	> 100 mg/l OECD TG 203	
EC50 - Other aquatic organisms [1]	> 10 mg/l OECD TG 202	
EC50 72h - Algae [1]	> 60 mg/l OECD TG 201	
DIBENZOYL PEROXIDE. (94-36-0)		
LC50 - Fish [1]	0.0602 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	0.11 mg/l Test organisms (species): Daphnia magna	
EC50 - Other aquatic organisms [1]	0.11 mg/l	
ErC50 algae	0.071 mg/l Source: ECHA	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

ETHYLENE GLYCOL. (107-21-1)	
LC50 - Fish [1]	> 72860 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	100 mg/l
EC50 96h - Algae [1]	6500 – 13000 mg/l Source: ECHA
NOEC (chronic)	≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'
NOEC chronic fish	15380 mg/l
NOEC chronic crustacea	8590 mg/l
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
DIBENZOYL PEROXIDE. (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3.46 Source: HSDB
ETHYLENE GLYCOL. (107-21-1)	
Partition coefficient n-octanol/water (Log Pow)	-1.36
12.4. Mobility in soil	
ETHYLENE GLYCOL. (107-21-1)	
Mobility in soil	0.2 Source: HSDB
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	

## **SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods
- Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ECTION 14: Transpo	ort information			
n accordance with ADR / IME	DG / IATA / ADN / RID			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	·		
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2. UN proper shippin	g name	· · · · · · · · · · · · · · · · · · ·		
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

## CHEFIX EPO-TECH 300 - 400 ml COMP B

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.3. Transport hazard o	lass(es)			
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.4. Packing group				
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.5. Environmental haz	ards			
Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
No supplementary informatio	n available		·	

14.6. Special precautions for user

Overland transport Not regulated.

Transport by sea Not regulated.

Air transport Not regulated.

Inland waterway transport Not regulated.

Rail transport Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)



# **Safety Data Sheet**

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and ac	ronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer :
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 / Issue date: 24/02/2023 / Version: 1.0

# CHEFIX EPO-TECH 300 - 400 ml COMP B

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H241	Heating may cause a fire or explosion.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. B	Organic Peroxides, Type B
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.